

Stations	Geographical sectors	Total specimens sampled/50cc	<i>Ammonia beccarii</i>	<i>Bolivina</i> sp.	<i>Bolivina pulchella</i>	<i>Brizalina</i> sp.	<i>Bolivina striatula</i>	<i>Buccella peruviana</i>	<i>Bulinina elongata</i>	<i>Bulinina marginata</i>	<i>Bulinella elegantissima</i>	<i>Cibicides</i> sp.	<i>Cornuspira involvens</i>	<i>Discorbis</i> sp.	<i>Elphidium</i> sp.	<i>Elphidium excavatum</i>	<i>Elphidium discoidale</i>	<i>Elphidium galvestonensis</i>	<i>Elphidium gunteri</i>	<i>Elphidium poeyanum</i>	<i>Fissurina laevigata</i>	<i>Fursenkoina pontoni</i>	<i>Globocassidulina subglobosa</i>	<i>Hanzawaia boueana</i>	<i>Haynesina germanica</i>	<i>Hopkinsina pacifica</i>	<i>Lagena sirriata</i>	<i>Nonionella atlantica</i>	<i>Porreponides lateralis</i>	<i>Pararotalia cananetaensis</i>	<i>Ammotium salsum</i>
1	WE	1242	31.7	1.1	11.4		9.5		0.4	0.1	16.6			0.3	1	3.3			5.2		1.8	0.4	0.1	0.6	0.9	0.5	3.9		4.6	0.5	
2	WE	3660	55		1		2.7		0.1		4		0.2			10.4	0.2	1.2		6.2		0.3			0.1	0.1		0.7		3.9	1.4
3	WE	75	48				1.3									4				4										16	9.3
4	WE	366	39.3	1.9			3.6		1.6		10.9				2.7	3.3		2.2		5.7					3.3		0.3	7.7		11.5	
5	WP	7	42.9																												
6	WP	11	27.3													9.1				45.5											9.1
7	WP	87	34.5												5.7	27.6				25.3											
8	WP	926	51.9			1.4	2.4		1.6	0.1	14.7			0.1	2.4	4.6	0.1	0.1		15	2.5			0.2	0.1			0.3		1.2	0.1
9	WP	10636	41.3	0.9	2.3		7.9		2.2		19		0.2			1.1		3.3		11.3		0.8	0.2		0.7	1.1		2.6		0.5	
10	WP	588	51.4	0.3	2.9		9.4		1.5	0.9	6.3				1	4.4	0.3			7.3	0.9	1.5		0.7	3.9			3.7			
11	WP	1796	41.8	0.6	0.1		0.8		0.1		4.9				7.1	20.9		0.7		9.2					0.2	0.1		1.2		0.4	
12	WP	556	58.2	0.4		0.5	1.4				0.7	2.5			1.4	18.7				1.1					0.4						1.1
13	WP	4780	14.9				0.4								9.2	20.4		0.3		45.1					0.4						0.8
14	CP	754	61.3	0.3			6.6		0.3		1.3				6.6	5.3		5		11.4					0.8						
15	CP	1488	29.6				1.3		0.5		0.3				22.3	18.5		0.5					0.3	5.6							2.4
16	CP	50	3													3															9.3
17	CP	1648	39.3												10.9			0.5		42.2											4.1
18	CP	54	24.1													1.9									1.9						5.6
19	CP	31	19.4													60				7.9											
20	CP	681	45.7	0.1		0.4	1		0.4	0.6	4.7				0.9	7.9			4.1	8.7	0.7		0.4	0.6	1.3	0.3		2.1		2.5	2.2
21	CP	83	18.1								1.2									37.3											7.2
22	EP	2100	18.3								0.2					18.7	45.7		0.2		13.3					0.2					0.6
23	EP	3116	14.4								0.3					52.9		0.4		22.2					0.8			0.1		0.4	1.3
24	EP	1868	14.8				1.5		0.2		1.7				0.4	43.3		0.4		14.3			0.4		1.5			1.3		14.8	
25	EP	1480	8.1				1.1				1.6		0.5			2.7			0.3	66.5	0.3	0.5			0.8	0.3		2.2		3	0.3
26	EP	1652	37.3	0.5	0.2		1.5				1.9			1.2	10.4	5.3		0.2	0.2	18.2	0.2		0.5		1.9			3.1		15.5	
27	EP	3154	22.6	0.6			3.2		0.6	0.4		0.4		2.1	3.4	1.7		0.4		8.4	1	1		0.4		1		9.9		16.6	
28	EP	4092	18.2	0.4	0.3		2.5		0.3	0.1	5.1	0.3		2.9	1	1.8		0.4	0.4	10.9	0.7		0.7	0.1	1	0.3	0.4	8.1		22.6	0.7
29	EP	398	37.9			0.8	3		0.3		0.8			0.3	15.6	2.8	0.3			3.3	1	0.3		2	1			3.8		18.8	0.5
30	EP	510	67.1				1.2									1.2				2.4				1.2				5.9		17.6	

Stations	Geographical sectors	Total specimens sampled/50cc	<i>Ammonia beccarii</i>	<i>Bolivina</i> sp.	<i>Bolivina pulchella</i>	<i>Brizalina</i> sp.	<i>Bolivina striatula</i>	<i>Buccella peruviana</i>	<i>Bulinina elongata</i>	<i>Bulinina marginata</i>	<i>Bulinella elegantissima</i>	<i>Cibicides</i> sp.	<i>Cornuspira involvens</i>	<i>Discorbis</i> sp.	<i>Elphidium</i> sp.	<i>Elphidium excavatum</i>	<i>Elphidium discoidale</i>	<i>Elphidium galvestonensis</i>	<i>Elphidium gunteri</i>	<i>Elphidium poeyanum</i>	<i>Fissurina laevigata</i>	<i>Fursenkoina pontoni</i>	<i>Globocassidulina subglobosa</i>	<i>Hanzawaia boueana</i>	<i>Haynesina germanica</i>	<i>Hopkinsina pacifica</i>	<i>Lagena siriata</i>	<i>Nonionella atlantica</i>	<i>Poroponides lateralis</i>	<i>Pararotalia cananetaensis</i>	<i>Ammotium salsum</i>	
31	EP	264	29.5			0.4	4.5			3.4	1.5			2.3		5.3	0.8			6.4	0.4	0.4			3	0.8			6.8	0.4	25.4	4.9
32	EP	5736	19.8	0.6	0.3		2.1		0.3	1.4	0.8			1	1.4	2	1.3	0.3	3.5	14.5		1.8	0.1	6.4	0.3	0.3		12			20.9	
33	EP	3762	19		0.2		1.4		0.2	0.8	1	0.2	0.2	2.1	3	1.9	1.1		0.6	13.6	0.3			5.3	0.8			8.6	0.3		30.9	
34	EP	870	18.6		0.7		3.4		1.4		7.6			4.1	0.7	2.8		2.1	0.7	6.2	0.7			0.7	0.7	0.7		15.2			29.7	
35	RI	81	38.3				2.5				16			3.7	1.2	2.5				3.7	3.7			1.2				8.6			8.6	
36	EE	416	6.7	0.2			0.2			3.8	0.5			0.2		0.5	15.4				0.2	0.7		25.5	0.2		0.2	26	1		11.5	
37	EE	1285	3				0.2		0.2	6.5	0.3			0.1	0.1	0.7	5.3	0.1		22.8		0.5		19.8		0.2		27.5	0.9		3.7	
38	EE	3768	1.1				0.5	1.5		8.3						0.1	0.5			26				23.2		0.3		27.7	0.7		5.4	
39	RI	4080	13.5	0.2	0.1		2.8		0.2	2.2	2.1	0.1		3	1.3	0.6		0.2	0.3	8.2	1.2	0.2	0.7	4.3	1.8	0.4	0.2	12.1	0.3		36.6	
40	RI	680	36.5				1.8	2.3	0.6	1.2	0.6					2.4						1.8		4.7	2.9			11.2			20.6	0.6
41	EE	676	52.7						0.6		0.6				0.6	3.6	0.6			1.2	0.6				1.2		0.6				2.4	
42	EE	1132	6.4	1.1	0.2		0.9	0.4		4.9	0.7			0.5	0.2		1.2	0.2		7.4		1.8		15.4	0.2	1.4	0.2	18.7			29.3	
43	EE	1560	4.9		0.3		1.3	0.5		6.4				0.8		0.3	0.8			13.1				16.2		0.3	17.4	1		32.8		
44	EE	3906	8.6	0.3			1.4	2		5.5					0.6	0.6	3.5			21.7		0.9		18.1	0.2	0.2	22.4	0.5		4.3		
45	EP	544	57.4	1.5			0.7								1.5	3.7				3.7	0.7						4.4			4.4		
46	EP	1980	13.6	0.3			1.2			1.2	0.3			1.8	3	0.9		0.3	0.3	4.2	0.6	0.3		5.2	0.6		0.6	11.5			49.7	
47	EP	1908	14.9	1	0.2		2.7	1	0.2	2.3	0.6			1.5	4.6	0.8	1.3	0.2		11.7	0.4	0.2	0.2	9.6			9.2			32.1		
48	EP	460	13				1.7				0.9			0.9	4.3	1.7	0.9		0.9	4.3		0.9		4.3	0.9			14.8			45.2	
49	EP	440	20				4.5				1.8			5.5	1.8					2.7	0.9	0.9					6.4			52.7		
50	CP	768	10.2	2.3			4.7				9.4			9.4	4.7						3.1	0.8	0.8		3.1	2.3		3.1			39.8	
51	CP	968	33.5											0.8	16.1	12				14.5	17.8			0.4						1.7		
52	CP	1780	18.4				0.4								17.5	26.3		0.2	3.4	20.4			0.2	0.2			0.4			5.6	0.7	
53	CP	452	21.2				5.3		0.4		3.5			2.2	16.4	1.8		0.4	2.7	6.2	2.7		0.9	1.3	1.8		4.9			23.5	0.4	
54	CP	272	3.7	0.7			2.2				1.5			2.9	7.4	5.1	0.7		3.7	2.2	1.5		0.7				3.7			50.7	2.2	
55	CP	804	9.5											0.5	16.9	40.3		0.5	3.5	9.5										10.9	2.5	
56	CP	1420	16.6												19.2	40	0.3	0.6	0.6	18											0.3	
57	CP	62	1.6								1.6	4.6		3.2	3.2	21															46.8	
58	CP	492	15.4												21.1	48.8					12.2				0.8						0.8	
59	CP	34	23.5				8.8				2.9			2.9		2.9				11.8			5.9	2.9	5.9		2.9			23.5		
60	CP	53	20.8		1.9		1.9							1.9	17								1.9					3.8			47.2	

Stations	Geographical sectors	Total specimens sampled/50cc	<i>Ammonia beccarii</i>	<i>Bolivina</i> sp.	<i>Bolivina pulchella</i>	<i>Brizalina</i> sp.	<i>Bolivina striatula</i>	<i>Buccella peruviana</i>	<i>Bulinina elongata</i>	<i>Bulinina marginata</i>	<i>Bulinella elegantissima</i>	<i>Cibicides</i> sp.	<i>Cornuspira involvens</i>	<i>Discorbis</i> sp.	<i>Elphidium</i> sp.	<i>Elphidium excavatum</i>	<i>Elphidium discoidale</i>	<i>Elphidium galvestonensis</i>	<i>Elphidium gunteri</i>	<i>Elphidium poeyanum</i>	<i>Fissurina laevigata</i>	<i>Fursenkoina pontoni</i>	<i>Globocassidulina subglobosa</i>	<i>Hanzawaia boueana</i>	<i>Haynesina germanica</i>	<i>Hopkinsina pacifica</i>	<i>Lagena siriata</i>	<i>Nonionella atlantica</i>	<i>Poroeponides lateralis</i>	<i>Pararotalia cananetaensis</i>	<i>Ammotium salsum</i>		
61	CP	74	43.2				2.7			2.7					16.2	18.9																	
62	CP	116	22.4								1.7				27.6	17.2		1.7	22.4						1.7								
63	CP	642	17.8	0.9	0.9		4.7				0.9			0.9	5.6	4.7			7.5			1.9	3.7	0.9		0.9	6.5		21.5	2.8			
64	CP	192	14.6		4.2		8.3		2.1	2.1	4.2			2.1	10.4							2.1	2.1	2.1			8.3		33.3				
65	CP	80	10				11							5	16															28			
66	CP	366	8.2												9.8									11.5									
67	CP	636	2.8		0.9		1.9			0.9	2.8			8.5	5.7	1.9			0.9			1.9	3.8				10.4		39.6				
68	RI	117	75.2												2.6	2.6		0.9		2.6													
69	MF	216	22.2																														
70	RI	553	73.8		1.4		2.2		0.4		5.2				2.5	0.9		1.1		5.8	2.7				0.9		0.5						
71	RI	758	6.6																												0.5		
72	RI	539	0.4												0.2	0.2															2.8		
73	RI	226	14.6																													4	
74	MF	188																															
75	RI	112	18.8												8.9	12.5			8.9									4.5					
76	RI	81	9.9												6.2	49.4																	
77	RI	28	10.7												7.1																		
78	RI	148	2.7											1.4	5.4	8.1	1.4			4.7													
79	RI	65																														3.5	
80	RI	268	5.2	0.7							0.7				7.5	4.5					0.7				1.5					3			
81	RI	134	35.1		5.2		2.2		3.7		11.2			0.7	2.2	0.7				13.4	0.7				2.2	1.5		1.5		0.7			
82	RI	75	14.7								1.3									6.7							1.3						
83	RI	46		2.2																													
84	RI	31																															
85	RI	193	31.6																														
86	MF	412																														1	
87	MF	916	0.4	31																												1.3	
88	MF	2055		0.4							0.2			0.6	0.2					0.6			0.6					0.2	0.4				

Stations	<i>Ammoastuta salsa</i>	<i>Ammobaculites</i> sp.	<i>Ammobaculites exiguus</i>	<i>Arenoparrella mexicana</i>	<i>Gaudryina exilis</i>	<i>Haplophragmoides wilberti</i>	<i>Miliammina fusca</i>	<i>Pseudoclavulina curta</i>	<i>Reophax</i> sp.	<i>Siphonochammina lobata</i>	<i>Tiphotreca comprimata</i>	<i>Trochammina inflata</i>	<i>Trochammina</i> sp.	<i>Trochamminita salsa</i>	<i>Warrenita pelustris</i>	<i>Mitolinea subrotunda</i>	<i>Pyrgo elongata</i>	<i>Quinqueloculina</i> sp.	<i>Quinqueloculina costata</i>	<i>Quinqueloculina lamarckiana</i>	<i>Quinqueloculina milleti</i>	<i>Quinqueloculina patagonica</i>
31				0.4	0.8	0.4							0.8							0.4		1.1
32	0.1	0.1		1.4	0.8	0.4				0.3			0.6			0.1	0.1	0.4		1.5	2.8	0.3
33				0.8	0.3		0.2				0.2							0.5		1.6	4.3	0.8
34				0.7																2.1	0.7	0.7
35					3.7		2.5						3.7									
36											0.2									6.5		0.2
37							0.4						0.1			0.1	0.4		0.8	5	0.4	1.2
38					0.2												0.1			3.9		0.3
39				0.2	0.4	0.1	0.7	0.2					0.1					0.2		1.4	3.4	0.8
40				1.8	0.6	1.2	0.6						0.6	0.6	0.6	0.6		0.6	2.9	3	0.6	
41	1.8		0.6	12.4	4.8	11				0.7		2.4	0.8	1								
42				0.2	0.2														1.1	3.7	2.8	1.1
43																0.5		0.3			0.3	3.1
44				0.2	0.2											0.3		1.2		5.1	1.2	1.1
45	0.7			12.5	2.9	1.5						0.7		0.7	0.7	0.7		0.7	0.7	0.7		0.7
46		0.3		0.6	0.3					0.3			0.3					0.6	0.6	0.6	1.2	
47				0.6	0.4	0.2		0.4							0.2			0.8	1	1.1	0.2	
48					1.7	0.9															2.6	
49																			2.7			
50					0.8								1.6						3.9			
51	0.4			0.4								0.4	0.8					0.4			0.8	
52	0.9		0.2	3.1	0.2	0.2						0.4	0.7						0.2			
53	0.4			0.4		0.9																
54	1.5			1.5		2.9				1.5		2.9	0.7						1.3		0.9	0.4
55				1.5	0.5	1.5							2.5									
56				1.7		1.4				0.3	0.3		0.8									
57				3.2		4.8				2.7		6.5		0.8								
58													0.8									
59										5.9												
60													1.9						1.9			

Stations	<i>Ammoastuta salsa</i>	<i>Ammobaculites</i> sp.	<i>Ammobaculites exiguus</i>	<i>Arenoparrella mexicana</i>	<i>Gaudryina exilis</i>	<i>Haplophragmoides wilberti</i>	<i>Miliammina fusca</i>	<i>Pseudoclavulina curta</i>	<i>Reophax</i> sp.	<i>Siphotrochammina lobata</i>	<i>Tiphotreca comprimata</i>	<i>Trochammina inflata</i>	<i>Trochammina</i> sp.	<i>Trochamminita salsa</i>	<i>Warrenita pelusis</i>	<i>Mitilimella subrotunda</i>	<i>Pyrgo elongata</i>	<i>Quinqueloculina</i> sp.	<i>Quinqueloculina costata</i>	<i>Quinqueloculina tamarckiana</i>	<i>Quinqueloculina milleti</i>	<i>Quinqueloculina patagonica</i>
61													2.7									
62						3.4							1.7									
63	1.9			8.4		3.7							3.7									
64						2.1												2.1				
65			2			6							22									
66				41		3.3				9.8		4.9	11.5									
67	0.9			3.8	0.9	2.8				1.9		0.9	0.9								2.8	2.8
68	0.9			10.3		2.6					0.9		1.7									
69	7.4			22.2		48.1																
70	0.2			1.3		0.9							0.2									
71	3.4			36.9		43				1.1	0.5	2.6	5.3									
72	2	0.2	0.4	59		28	0.2			1.3		1.5	3.5		0.4							
73	4	0.4	0.4	34.8		30	0.7			2		4	5									
74	1.6		0.5	22.3		56.9	0.5			6.4	0.5	2.7	8		0.5							
75	3			11		16				9	0.2	2.7	4.5									
76	2.5			9.9		11.1				1.2		4.9	4.9									
77				50		25				3.6											3.6	
78				39.2		27.7						6.1	3.4									
79	7			64	3	19				1.5	0.4	1.5										
80	1.5			42.5		26.1		0.7		1	0.8	0.7	2.4	0.3								
81	1.5			5.3	0.7	8				1		1	1.1									
82				54		5.3				6		4	6.7									
83				32.6		56.4					0.1		8.7									
84				29		67.7				3.2												
85	3.6			25.9		31.1	1			1.6		2.6	2.5									
86	8.7			30.1		32	1			8.7		7.8	10.7									
87	9.2			5.5		24		0.4		3.4		7	17	0.7								
88	25.5			16.3		41.8	0.6			1.6		2.5	7.4	0.2	0.8							0.2